## SPRING & SUMMER KING RULES THE METAL SHOP F @ -

PRICES IN EFFECT UNTIL JUNE 30<sup>TH</sup>, 2025





11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

\$1099.

Thermally protected Marathon® 6.5 peak HP motor with reset

#### 7" X 12" METAL **CUTTING BANDSAW** KC-712BC







KING.



\$499.99

KC-12HS-VS

Θ

Powerful 1/2 HP, 5 Amp motor. Variable speeds (580 - 3200 RPM) Comes with 5/8" drill chuck, chuck

key, onboard chuck key storage and adjustment hex. keys

\$349.99



15" FLOOR VARIABLE SPEED DRILL PRESS

**Drill Presses with Digital Readout** 

variable

speed system

#### **3200 PSI** GASOLINE HIGH PRESSURE WASHER KPW-3200

 3200 PSI, 2.5 GPM maximum water flow

· Low oil shut-off system Comes with stainless steel wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke air cooled OHV engine





#### PREMIUM HYBRID POLYMER **GARDEN HOSES**

\$399<sup>99</sup>

\$45. \$77.

**PDM-30** 

5" stroke

Spindle taper R8

**OPTIONAL** 

\$679

**BONUS PACKAGE FREE** 

INCLUDED WITH THE PURCHASE OF A PDM-30 MILLING DRILLING MACHINE

Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and face mill arbor

16 1/2" swing
1 1/4" Drilling capacity
3" Face mill capacity

K-2514H 25'x1/4 \$21.99 25'x3/8" \$29.99 K-2538H K-5014H 50'x1/4" \$33.99 K-5038H 50'x3/8" \$44.99 K-10014H | 100'x1/4" \$54.99 K-10038H 100'x3/8" \$65.99 300 PSI MAXIMUM PRESSURE



mounting hardware

MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE 100 FT. x 1/4" K-10014FRL 360° swivel base All-Weather Flexibility (-40°C to 65°C) \$109.99





#### 5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

2 cylinder cast iron

• 150 PSI max pressure single stage oil • 7.6 CFM @ 40 PSI lubricated pump

• 6.0 CFM @ 90 PSI

\$749.

ASME safety



## **AIR COMPRESSORS & ACCESSORIES**

KING

SPRAY GUN KITS 8185

8180 \$39.99 8182

8190 HVLP

8195

## **INDUSTRIAL 2- STAGE AIR COMPRESSORS**

#### 5.5 PEAK HP 24 GALLON AIR COMPRESSOR

#### KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

#### **HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR** COMPRESSOR

#### KC-5160V2

- 150 PSI max pressure<sup>3</sup> cylinder cast iron
- 22.6 CFM @ 40 PSI

single stage oil

\$9

• 18.5 CFM @ 100 PSI

2-STAGE 5 RUNNING HP 80 GALLON AIR COMPRESSOR 2 cylinder cast KC-5280V3-MS

2 cylinder cast iron 2-stage oil

\$3499

## 2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR 2 cylinder cast irc 2 cylinder cast iron

KC-7280V3-MS

lubricated pump

2 cylinder cast iron single stage oil lubricated pump







## 2" X 42" BELT & 8" DISC SANDER KC-770FXPowerful 1 HP, 6.2 Amp **NEW & IMPROVED** WITH SAFETY GUARDS direct drive motor Both a 1" and a 2" sanding belt can be installed Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys 1 HP Motor (17) Belt Size Grit Unit Price 2"x42" 60 1 \$9.99 2"x42" 80 1 \$9.99 SB-242-60Z 2"x42" SB-242-80Z 2"x42" SB-242-100Z 2"x42" SB-242-120Z 2"x42" 10" WET/DRY SHARPENER KIZ KC-4900S 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening Comes with angle guide honing compound and a square edge jig for sharpening a variety of

# Disc Size Grit Unit Price 8" 60 1 \$9.99

## \$229.99 4 pc. Accessory Kit \$69.<sup>99</sup> (Short knife jig, long knife jig, scissors jig & axe jig)

## 8" LOW SPEED LONG SHAFT BUFFER KC-899LSB Powerful 1/2 HP motor Arbor shaft diameter: 5/8" Motor no load speed: 1,750 RPM Comes with two 8" x 1/2" spiral sewn cloth buffing wheels

blades and wood chisels

**OPTIONAL** 

KM-130

\$159.99



## BENCH GRINDERS 6" **BENCH GRINDER** KC-690LN • 3450 RPM **STAND** SS-150N Made of cast-iron & alloy steel Height of 31-1/2" \$75. from the floor Water reservoir for quenching workpieces KC-890 •3450 RPM \$139. 8" LOW SPEED BENCH GRINDER WITH LIGHT KC-895LS Comes complete with diamond wheel dressing tool, tool rests, eye shields, course 60 grit and fine 120 Grit 8" x 1" white aluminum oxide grinding wheels \$159.<sup>99</sup>

## 3" X 79" METAL BELT SANDER



#### **KC-379MS**

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces

3"x 79" PURE ZIRCONIA SANDING BELTS								
Model	Belt Size	Grit	Unit	Price				
SB-379-60	3"x79"	60	1	\$19.99				
SB-379-80	3"x79"	80	1	\$19.99				
SB-379-120	3"x79"	120	1	\$19.99				

#### 2 HP METAL DUST **COLLECTOR**

#### KC-7300C

- · Powerful 2 HP, 220V motor
- · 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips colection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



Built-in cast-ironquench tray, 36 Grit and 60 Grit

12" x 2" grinding wheels

FIREPROOF 3" METAL DUST **COLLECTION HOSES KIT** KM-102

\$79.99

130°C

#### **DIGITAL FRACTIONAL CALIPER** KM-106

- Two 3V Lithium batteries included





KMAG-220-1721







DIGITAL

**ZOOM** 

BX

\$199.<sup>99</sup>

**OPTIONAL** 

SS-1620CLM

\$399

STAND

camera probe extension, 3.5"

card and 4 AA batteries

Camera probe extension, 3.5
TFT-LCD wireless color monitor, monitor
Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and
Video cables, 4GB SD memory

**OPTIONAL** KM-124 Elevating block with 7/16" T-slots (7-7/8" x 5-7/8" x 5") \$199

11 PC. METAL LATHE CUTTER SET KM-146 3/8" Shank Fits: KC-0712ML KC-1022ML, KC-1620CLM **\$59.**99



\$129.99

- 1/2" T- slots

Fits 5/8" table slots

Imperial, Single End

6"- KCV-6N\$129.99 6"-KPV-6 \$54.99 \$99.99



## GASOLINE/PROPANE GENERATORS

#### 5100W GASOLINE **GENERATOR WITH** WHEEL KIT

KCG-5100G

- Powerful 8 HP, 4 stroke air
- cooled OHV engine AVR system and electronic ignition
- Low oil shut-off with indicator light Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



## 10000W TRI-FUEL GENERATOR WITH ELECTRIC STAR KCG-10002GE-TF Powerful 15 HP, 4 stroke air cooled OHV engine AVR system and electronic ignition Low oil shut-off with indicator light protects the engine Two duplex outlets: 120V/20 Amp. AC Two twist lock outlets: 120V/30 Amp. and 1 20V/240V/30 Amp. AC

Comes with propane tank and



### 5100W DUAL/FUEL

**GASOLINE/PROPANE GENERATOR WITH ELECTRIC START** KCG-5101GE-DF



- Powerful 8 HP, 4 stroke air cooled OHV
- ystem and electronic ignition il shut-off with indicator light

\$599,99



#### **12600W** GASOLINE GENERATOR WITH ELECTRIC START

KCG-12600GE Powerful 18 HP, 4 stroke

- air cooled motor
- AVR system and electronic
- ignition Two duplex outlets:
- 120V/20 Amp. AC Twist lock outlet:
- 120V/240V/30 Amp. AC Outlet: 120V/240V/50 Amp. AC AC double throw circuit breaker and resets



\$1099.99



6500W GASOLINE GENERATOR WITH ELECTRIC START

- KCG-6502GE
   Powerful 10 HP, 4 stroke air
- cooled OHV engine AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC Twist lock outlet: 120V/240V/30 Amp. AC

\$649.99



## 10000W GASOLINE

#### GENERATOR WITH **ELECTRIC START**

KCG-10001GE • Powerful 15 HP, 4 stroke air

- cooled OHV engine
- AVR system and electronic ignition
  Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp.

\$899.99



## 12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START POWER FORCE KCG-12001GE-DF

**Propane Tank** Not Included \$1199.99



## GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit
Comes with 6 outlet power panel, generator power inlet box,
1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve
connector, 2 insulating gaskets and mounting hardware



### GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

#### K-L1430-10

Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C)



#### K-L1430R-25

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



#### K-L1430-25-4T

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (STW 4/C)



## K-L1430-25EXT

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



#### DESIGNED FOR OUR INVERTER GENERATORS

K-L530-25-3T



#### 50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle K-1450P-2

Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (STW 4/C)



## **METAL CUTTING BANDSAWS**



## 5" x 6" METAL CUTTING BANDSAW KC-129C

3 speeds (80-120-200 FPM) · Comes with wheels for portability 8 Amp. (110V)

5" x 6"



	H.S.S. & BI-METAL BLADES							
1000	Model	Length	Width	Blade Material	TPI	Thickness	Price	
	KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025"	\$19.99	
	KBB-115-14	64 1/2"	1/2"	H.S.S.	14		\$19.99	
-	KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$19.99	
( Same )	KBB-115-24	64 1/2"		H.S.S.	24		\$19.99	
- greening	KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$39.99	
(1, 1)	KBB-115-BM-14	64 1/2"		Bi-Metal	14		\$39.99	
	KRR-115-RM-18	6/11/2"	1/2"	Ri-Metal	12	025"	€30 QQ	

HÝDRAULIC **DUAL SWIVEL METAL CYLINDER CUTTING BANDSAW** KC-129DS KING 8 Amp (110V) \$999.

**ADJUSTABLE** 

## | Model | Length | Width | TPI | Thickness | Price | KBB-8376-BM-1014 | 44 7/8" | 1/2" | 10.14 | .020" | \$24.99 | KBB-8376-BM-1418 | 44 7/8" | 1/2" | 14.18 | .020" | \$24.99 | 10" x 18"

**OPTIONAL** 

Miter Stand turns this Bandsaw into a Cut-off Saw

SS-8377

#### METAL CUTTING BANDSAW

**BI-METAL BLADES** 

\$99.99

KC-227-2 (220V)

KC-227-6 (600V)
• 4 speeds (114, 196, 288, 377 FPM)
• Carbide ball bearing blade guide

- Control panel with automatic shut-off
   Adjustable hydraulic downfeed control
- · Both adjustable control arms can be positioned as close to the cut as possible

  • Coolant system with regulator valves





LCC DIADEC

## 10" x 18" VARIABLE SPEED SWIVEL METAL **CUTTING BANDSAW**

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

• Swivel base from 0° to 45°

• Position adjustable control panel and automatic shut-off

• Adjustable hydraulic down feed control

• Carbide ball bearing blade guides

11.5 Amp. @ 220V

2.6 Amp. @ 600V

,	H.S.S. BLADES Coola	nt system with regulator valves
Model KBB-225-10 KBB-225-14	Length         Width         TPI         Thickness         Price           122"         1"         10         .032"         \$39.99           122"         1"         14         .032"         \$39.99	BI-METAL BLADES  Model Length Width TPI Thickness Price
	11.5 Amp. @ 220V 2.6 Amp. @ 600V	KBB-225-BM-610     122"     1"     6-10 032"     \$99.99       KBB-225-BM-812     122"     1"     8-12 032"     \$99.99
	Ans &	
PATENTED	Exclusive 24 Volt control	ED Krw quick
PATENTED TRU-LOCK™ quick locking vise system.	control panel locking	ise system.
Exclusive		8
Exclusive 24 Volt control panel		
KING		KING
10	\$5999.	\$7999.
187		

## **METAL CUTTING BANDSAWS**

## 7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

6 Amp.

(220V)

- KC-712DS
- Returning coolant system4 speeds (98-164-246-328 FPM)
- Automatic shut-offAdjustable ball bearing guides



## x 12" NOVA DVR METAL CUTTING BANDSAW

- Smart metal bandsaw features state of the art technology Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop Includes a 240V conversion components kit





#### 9" x 18" METAL CUTTING SWIVEL BANDSAW KC-918S-V (8 Amp. 220V)

#### KC-918S-V- 600V (2.5 Amp. 600V)

- Returning coolant systemVariable speeds (80-250 FPM)

- Variable speeds (80-25) FPM)
   Carbide ball bearing blade guides with rollers
   Centralized control panel and automatic shut-off
   Adjustable hydraulic downfeed control
   Precision blade tension adjustment
   Head swivels 0° to 45° in one direction
   Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

#### VARIABLE SPEED METAL/WOOD CUTTING **BANDSAW**

#### KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM

- Variable speeds (Wood): 540-3600 SFPM
   Variable speeds (metal): 100-650 SFPM
   Voltage (input power): 220V, 1 phase, 60 Hz
   Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide

## **METAL CUTTING BANDSAW**

#### KC-450

- Variable speed Handwheel controls speed Speed changes while the machine is in operation Comes complete with 4-way tilting







## **METAL LATHES & ACCESSORIES**



7" X 12"

5.5 Amp. INCLUDES - 4"- 3 JAW CHUCK & STEADY REST VARIABLE SPEED MINI METAL LATHE Θ

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- · Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

10" X 22" BELT DRIVE METAL LATHE

#### KC-1022ML

- 1" spindle bore Spindle speeds 6 (150-2400) RPM Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$3299.



12" X 36"

#### 1.5 HP **GEARHEAD METAL LATHE** (220V)

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I) 30(.2 4.5mm) thread cutting

Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

\$5849.

WITH TAPER ATTACHMENT KC-1236ML/SS-1236/KM-053

\$6499.

## 14" X 40"

2 HP (240V) **GEARHEAD METAL LATHE** 

Spindle speeds 8(70-2000 RPM)
34(4-56 T.P.I) 26(.4 - 7mm) thread cutting
Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement ge quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2

\$9499.

WITH TAPER ATTACHMEN

4 HP

(600V)

\$9999

KC-1440ML-2/KM-054

16" X 40"

#### **HIGH PRECISION** "TOOL ROOM" METAL LATHE

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML



CABINET STAND WITH FOOT BRAKE INCLUDED



HORSE

CABINET STAND

**BONUS** 

INCLUDED

FAGOR DIGITAL READOUT SYSTEMS



**20i-T-840** (Fits KC-1440ML-6 & KC-1440ML-2)

2 AXIS with 8" x 40" scales 20i-T-1040 (Fits KC-1640ML)

2 AXIS with 10" x 40" scales

\$2599.

\$2799.

### **LIVE CENTERS**

\$69.

KLC-2M TAPER SHANK -MT#2

\$79. KLC-3M TAPER SHANK MT#3

#### 7 PC. CARBIDE **CUTTER HOLDERS**

• 2 positions carbide indexable Cutter Inserts (5pc.) • H.S.S. inserts (2pc.)

**INCLUDED** 

Screwdriver and 3 adjustment keys

KM-047 KM-057

3/8" Shank \$199.

5/8" Shank

Fits Models: Fits Models. KC-0712ML, KC-1022ML KC-1236ML, 14440ML-2 14440ML-6,KC-1640GH, KC-1640ML & KC-1660GH

Taper Attachment must be ordered together with

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models

KC-1236ML, KC-1440ML-2 & KC-1640ML

## 7 PC. QUICK CHANGE TOOL POST KITS



**KOCT-0012** Fits most lathes up to 0 to 12" swing

KOCT-1015

Fits most lathes betweer 10" to 15" swing

KQCT-1318 Fits most lathes between \$499.99